

Environmental Protection Agency

§ 180.588

(2) Time-limited tolerances are established for residues of the insecticide clothianidin, including its metabolites and degradates. Compliance with the tolerance levels specified below is to be determined by measuring only clothianidin, (E)-1-(2-chloro-1,3-thiazol-5-ylmethyl)-3-methyl-2-nitroguanidine, in or on the following raw agricultural commodity:

Commodity	Parts per million	Expiration/revocation date
Rice, seed	0.01	6/23/12

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect and inadvertant residues.* Tolerances are established for the indirect or inadvertent residues of the insecticide clothianidin, including its metabolites and degradates. Compliance with the tolerance levels specified below is to be determined by measuring only clothianidin, (E)-1-(2-chloro-1,3-thiazol-5-ylmethyl)-3-methyl-2-nitroguanidine, in or on the following raw agricultural commodities when present therein as a result of the application of clothianidin to crops listed in paragraph (a) of this section:

Commodity	Parts per million
Animal feed, nongrass, group 18	0.02
Grass, forage, fodder and hay, group 17	0.02
Soybean, forage	0.02
Soybean, hay	0.02

[74 FR 65028, Dec. 9, 2009, as amended at 76 FR 7718, Feb. 11, 2011; 76 FR 25246, May 4, 2011; 76 FR 34886, June 15, 2011; 77 FR 52252, Aug. 29, 2012; 78 FR 19136, Mar. 29, 2013]

§ 180.587 Famoxadone; tolerance for residues.

(a) *General.* Tolerances are established for residues of the fungicide famoxadone (3-anilino-5-methyl-5-(4-phenoxyphenyl)-1,3-oxazolidine-2,4-dione) in or on the following commodities:

Commodity	Parts per million
Caneberry subgroup 13-07A	10
Cattle, fat	0.02
Cattle, liver	0.05
Cilantro, leaves	25

Commodity	Parts per million
Goat, fat	0.02
Goat, liver	0.05
Grape, raisin ¹	4.0
Hop, dried cone	80
Horse, fat	0.02
Horse, liver	0.05
Milk, fat (reflecting negligible residues in whole milk)	0.06
Onion, bulb, subgroup 3-07A	0.45
Onion, green, subgroup 3-07B	40
Potato	0.02
Sheep, fat	0.02
Sheep, liver	0.05
Spinach	50
Tomato	1.0
Vegetable, cucurbit, group 9	0.30
Vegetable, fruiting, group 8, except tomato	4.0
Vegetable, leafy, except Brassica, group 4, except spinach	25

¹ There are no U.S. registrations as of May 15, 2003.

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with a regional registration.* Tolerances with a regional registration as defined in § 180.1(l) are established for the residues of the fungicide famoxadone, 3-anilino-5-methyl-5-(4-phenoxyphenyl)-1,3-oxazolidine-2,4-dione) in or on the raw agricultural commodities:

Commodity	Parts per million
Grape	2.5

(d) *Indirect or inadvertant residues.* [Reserved]

[68 FR 39471, July 2, 2003, as amended at 72 FR 28881, May 23, 2007; 74 FR 9364, Mar. 4, 2009; 76 FR 34885, June 15, 2011]

§ 180.588 Quinoxifen; tolerances for residues.

(a) *General.* Tolerances are established for residues of the fungicide quinoxifen, 5,7-dichloro-4-(4-fluorophenoxy)quinoline in or on the following raw agricultural commodities:

Commodity	Parts per million
Artichoke, globe	1.4
Fruit, stone, group 12	0.70
Hop, dried cones	3.0
Gourd, edible	0.20
Grape	0.60
Lettuce, head	7.0
Lettuce, leaf	19
Melon, subgroup 9A	0.08
Pepper, bell	0.35
Pepper, nonbell	1.7
Pumpkin	0.20

§ 180.589

Commodity	Parts per million
Squash, winter	0.20
Strawberry	0.90

(b) *Section 18 emergency exemptions.*
[Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.*
[Reserved]

[68 FR 55858, Sept. 29, 2003, as amended at 70 FR 4032, Jan. 28, 2005; 71 FR 50354, Aug. 25, 2006; 74 FR 14743, Apr. 1, 2009]

§ 180.589 Boscalid; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of the fungicide boscalid, including its metabolites and degradates, in or on the commodities listed below. Compliance with the tolerance levels specified below is to be determined by measuring only boscalid, 3-pyridinecarboxamide, 2-chloro-*N*-(4'-chloro[1,1'-biphenyl]-2-yl), in or on the following raw agricultural commodities:

Commodity	Parts per million
Alfalfa, forage	30.0
Alfalfa, hay	65.0
Almond, hulls	17
Apple, wet pomace	10
Avocado	1.5
Banana, import ¹	0.40
Brassica, head and stem, subgroup 5A	3.0
Brassica, leafy greens, subgroup 5B	18.0
Bushberry, subgroup 13B	13.0
Caneberry, subgroup 13A	6.0
Canistel	1.5
Canola, refined oil	5.0
Canola, seed	3.5
Citrus, dried pulp	4.5
Citrus, oil	85.0
Coffee, green bean, import ¹	0.05
Cotton, gin byproducts	55.0
Cotton, undelinted seed	1.0
Cucumber	0.5
Fruit, citrus, group 10	1.6
Fruit, pome, group 11	3.0
Fruit, stone, group 12	3.5
Grain, aspirated fractions	3.0
Grape	3.5
Grape, raisin	8.5
Hop, dried cones	35
Leaf petioles subgroup 4B	45
Leafy greens subgroup 4A, except head lettuce and leaf lettuce	60
Lettuce, head	6.5
Lettuce, leaf	11.0
Mango	1.5
Nut, tree, group 14	0.70
Papaya	1.5
Pea and bean, dried shelled, except soybean, subgroup 6C, except cowpea, field pea and grain lupin	2.5

40 CFR Ch. I (7–1–13 Edition)

Commodity	Parts per million
Pea and bean, succulent shelled, subgroup 6B, except cowpea	0.6
Peanut	0.05
Peanut, meal	0.15
Peanut, refined oil	0.15
Peppermint, tops	30.0
Pistachio	0.70
Sapodilla	1.5
Sapote, black	1.5
Sapote, mamey	1.5
Soybean, hulls	0.2
Soybean, seed	0.1
Soybean, vegetable	2.0
Spearmint, tops	30.0
Star apple	1.5
Strawberry	4.5
Sunflower, seed	0.60
Vegetable, bulb, group 3	3.0
Vegetable, cucurbit, group 9, except cucumber	1.6
Vegetable, fruiting, group 8	1.2
Vegetable, legume, edible podded, subgroup 6A	1.6
Vegetable, root, subgroup 1A, except sugar beet, garden beet, radish, and turnip	1.0
Vegetable, tuberous and corm, subgroup 1C	0.05

¹No US registrations as of September 16, 2009.

(2) Tolerances are established for residues of the fungicide boscalid, including its metabolites and degradates, in or on the commodities listed below. Compliance with the tolerance levels specified below is to be determined by measuring only the sum of boscalid, 3-pyridinecarboxamide, 2-chloro-*N*-(4'-chloro[1,1'-biphenyl]-2-yl), and metabolites 2-chloro-*N*-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide and glucuronic acid conjugate of 2-chloro-*N*-(4'-chloro-5-hydroxybiphenyl-2-yl) nicotinamide, calculated as the stoichiometric equivalent of boscalid in or on the following food commodities:

Commodity	Parts per million
Cattle, fat	0.30
Cattle, meat	0.10
Cattle, meat byproducts	0.35
Egg	0.02
Goat, fat	0.30
Goat, meat	0.10
Goat, meat byproducts	0.35
Hog, fat	0.20
Hog, meat	0.05
Hog, meat byproducts	0.10
Horse, fat	0.30
Horse, meat	0.10
Horse, meat byproducts	0.35
Milk	0.10
Poultry, fat	0.20
Poultry, meat	0.05
Poultry, meat byproducts	0.20
Sheep, fat	0.30
Sheep, meat	0.10
Sheep, meat byproducts	0.35